



FULLY EXECUTED
Purchase Order No: 4300318765
Original PO Effective Date: 01/18/2012
PO Issue Date: 01/18/2012

Your SAP Vendor #: 149047

Please Deliver To:
PennDOT - Equipment Division
17th Street & Arsenal Blvd Main Entrance
Harrisburg PA 17020 US

Supplier Name/Address:
AIR EQUIPMENT CORPORATION
215 WEST BRIDGE DRIVE
MORGAN PA 15064-0438 US

Please Bill To:
Commonwealth of Pennsylvania - PO Invoice
PO Box 69180
Harrisburg, Pennsylvania 17106

Supplier Phone Number: 4122570400
Supplier Fax Number: 412-257-3457

Purchasing Agent

Name: Rich Woodworth
Phone: 717-787-4103
Fax: 717 346-3820

Purchase Order Description:
7844610ED, Compressor, Skid Mounted

This Purchase Order is comprised of: The above-referenced Solicitation, the Suppliers Bid or Proposal, and any documents attached to this Purchase Order or incorporated by reference.

Suppliers must provide four mandatory elements on PO invoices: PO Number, Invoice Date, Invoice Number, and Invoice Gross Amount. Failure to comply will result in the return of the invoice. Additional optional information such as supplier name, address, remit to information and PO Line Item information will improve invoice processing.

Item	Material/Service Desc	Qty	UOM	Delivery Date	Net Price	Price Unit	Total
1	003750 - Compressor, 375 CFM Minimum	1.000	Each	04/16/2012	29,845.00	1	29,845.00

Information:

Total Amount:
SEE LAST PAGE FOR TOTAL OF ALL ITEMS

Currency: USD

Supplier's Signature _____
Printed Name _____

Title _____
Date _____



FULLY EXECUTED
Purchase Order No: 4300318765
Original PO Effective Date: 01/18/2012
PO Issue Date: 01/18/2012

Supplier Name:
AIR EQUIPMENT CORPORATION

Item	Material/Service Desc	Qty	UOM	Delivery Date	Net Price	Price Unit	Total
------	-----------------------	-----	-----	---------------	-----------	------------	-------

Item Text

OPTION 1: OEM FACTORY PAINTED (Ref. Specifications - 003750 - Compressor, 375 CFM Minimum, Skid Mounted ----- ITEM 1)

(003750): Latest model Skid Mounted 375 CFM (minimum) Air Compressor, complete and in accordance with "Specifications – 003750 – Compressor, 375 CFM Minimum, Skid Mounted" dated December 8, 2011 TOD , the Pennsylvania Department of General Services' Pennsylvania Commercial Item Description (PCID) No. 1075 titled "General Requirements for Bidding Penn-DOT Vehicles/Equipment", Eff. 12/7/11, and "Specifications: Part 1" documents.

Make / Model: Sullair Model 375 Portable Compressor

(NOTE: Cart #11175722/1 IFB 6100020703)

General Requirements for all Items:

Information:

Total Amount:
SEE LAST PAGE FOR TOTAL OF ALL ITEMS

Currency: USD



FULLY EXECUTED
Purchase Order No: 4300318765
Original PO Effective Date: 01/18/2012
PO Issue Date: 01/18/2012

Supplier Name:
AIR EQUIPMENT CORPORATION

Header Text

Contractor Point of Contact:
Joanne Gerry
Phone: 412-257-0400
E-Mail: joannegeary@verizon.net

IMPORTANT NOTES:

1. Only a single air compressor unit is to be purchased from this IFB solicitation.....Either Option 1 or Option 2.
 2. Equipment shall be latest model only
 3. Delivery Address:
PA-DOT Equipment Division
17th Street & Arsenal Blvd
Harrisburg PA 17120
 4. Invoice Information:
 - a. Send ORIGINAL invoice to comptroller's office
 - b. Send a copy of the invoice (STAMPED COPY) with unit(s) upon delivery
 - c. Send the CERTIFICATE OF ORIGIN (if required) to PA-DOT with unit(s) upon delivery.
 5. Warranty: Reference Specification's Page 7 "Warranty Section VII. Titled "WARRANTY" and PCID Section E "General Warranty Requirements", Subsection 1. B. "Construction Equipment".
 6. It is understood that the price bid and awarded is at FOB Destination terms to include all delivery, shipping and handling costs, and to include training and manuals (per Specifications, PCID 1075, and Specifications: Part 1 documents).
 7. Contractor to coordinate delivery with PA-DOT Point of Contact, Mr. Tony Leo, at 717-783-1395.
- No further information for this PO.**

Information:

Total Amount:

29,845.00

Currency: USD

6100020703

SPECIFICATIONS: PART 1

CONTRACT SCOPE/OVERVIEW: Any Contract resulting from this Bid No. 6100020703 will cover the requirements of The Pennsylvania Department of Transportation (PA-DOT) for “Air Compressor, 375 CFM Minimum, Skid Mounted” (PA-DOT Equipment Code #003750).

SPECIFICATIONS: All items to be provided shall be complete and in accordance with “Specifications – 003750 – Compressor, 375 CFM Minimum, Skid Mounted” dated December 8, 2011 TOD and the Pennsylvania Department of General Services’ Pennsylvania Commercial Item Description (PCID) No. 1075 titled “General Requirements for Bidding Penn-DOT Vehicles/Equipment, Eff. 12/7/11 (See Attachments).

DELIVERY:

All units must be delivered within ninety (90) calendar days after receipt of the purchase order by the contractor. It shall be assumed by the parties that the contractor received the purchase order on the third business day following the day on the purchase order, unless the contractor provides credible evidence that the order was received on a later date.

It is understood that the price bid and awarded is at FOB Destination terms to include all delivery, shipping and handling costs, and to include training and manuals (per Specifications, PCID 1075, and Specifications: Part 1 documents).

WARRANTY (Pennsylvania Department of General Services’ Pennsylvania Commercial Item Description (PCID) No. 1075 titled “General Requirements for Bidding Penn-DOT Vehicles/Equipment, Eff. 12/7/11)

E. **GENERAL WARRANTY REQUIREMENTS**

The following warranty requirements are considered minimum unless otherwise stated in the invitation for bids. If the manufacturer's standard warranty exceeds the specified warranty, the manufacturer's standard warranty will apply. Manufacturer's warranty shall be provided in written or electronic form. All warranties will cover all labor and parts replacement, without deductibles during the warranty period, except as may be otherwise stated below or in the invitation for bids. This warranty, however, does not include items that must be replaced through ordinary wear and tear, but those parts ordinarily replaced through the servicing program will be replaced as part of the servicing program of equipment/vehicles, if appropriate. Parts replaced under this warranty will be of original equipment manufacturer (OEM) quality or higher. Service to the vehicle/equipment will be at a level to maintain or meet the manufacturer's requirements to sustain the warranty. All warranty policies shall be from the OEM and repairs shall be made at any authorized OEM warranty repair facility. Multiple repair facilities shall be located regionally around the State to support warrantable repairs.

1. B. **CONSTRUCTION EQUIPMENT:** The construction and agricultural equipment manufacturer's service and warranty program for full machine (“bumper to bumper”) shall be for a minimum of one (1) year.

TRAINING: Mechanic and Operator:

The successful vendor shall provide services of qualified factory trained technicians for not more than one (1) training session of four (4) hours at one (1) PENNDOT location to train personnel for preventive maintenance, overhaul, review of the proper usage of parts and service manuals, component/system adjustments that need to be monitored at specified service intervals, the proper operation, safety and servicing of the equipment.

6100020703

All training must be completed within 60 days after the dates established in the approved training plan

All training shall be coordinated with the District Equipment Manager, David L. Law, 610-205-6744.

INQUIRIES:

Direct all questions concerning this Invitation for Bid to

Richard H. Woodworth, Commodity Specialist

Phone: 717-787-4103

E-Mail: rwoodworth@pa.gov

SPECIFICATION

003750 – Compressor, 375 CFM Minimum, Skid Mounted

Manufacturers standard Air Compressor shall be supplied utilizing the following codes.

003750 – Compressor, 375 CFM Minimum, Skid Mounted, 110 Horse Power Engine Minimum.

Note: " Refer to PCID 1075 for Delivery, and Warranty Requirements". Warranty shall be per Section E. 1. B.

The following additional items shall be supplied

	Accepted
<p>1. Mandatory : Bidder must provide option pricing for one of the following. Factory: Having unit bid painted PennDOT yellow. Reference DUPONT 6808 shade only. Unit shall be painted PennDOT yellow in lieu of the OEM's original color. Using the same process as with OEM paint. Aftermarket: Having unit bid painted PennDOT yellow. Reference DUPONT 6808 shade only. All surfaces shall be properly cleaned and prepared prior to paint. Paint shall be the same quality as factory paint. To include all areas of the machine including interior.</p>	
Comments	
<p>2. Supplied equipment shall comply with current EPA regulations for model year supplied. Non-compliant equipment will be rejected.</p>	
Comments	
<p>3. Shall have an installed FLOCS (Oil Evacuation) system. Ref: EQN-351A.</p>	
Comments	
<p>4. Shall have an OSHA dead man valve on each opening.</p>	
Comments	
<p>5. Shall have a Tool lubricator, minimum 1 quart capacity, mounted in line.</p>	
Comments	
<p>6. Shall be equipped with Gauge package to include: Hourmeter (hourmeter shall record only when the engine is running), fuel, voltage, oil pressure, tachometer and air pressure.</p>	
Comments	
<p>7. Shall have Tool box/s with a capacity for two (2) large silenced breakers and one (1) air tamper.</p>	
Comments	
<p>8. Shall be skid mounted and capable of being lifted by a forklift via a suitable balanced lifting bail.</p>	
Comments	
<p>9. Shall have a Vandalism package: All fill caps such as for fuel, engine oil, hydraulic oil, radiator etc. shall be lockable or located Inside lockable housing cabinet (s). With padlock (s) and key (all locks keyed alike).</p>	
Comments	
<p>10. Shall be equipped with a Safety valve that shall react instantly (shutdown) and automatically, for hose failure or accidental uncoupling which eliminates the possibility of dangerous hose whiplash.</p>	
Comments	
<p>11. The following shall be delivered with the unit, strapped down to a suitable wooden skid. Reels: Two (2) 50 feet live hose reels mounted to a pedestal stand. THOR hose couplings on hose ends that are compatible with One THOR coupler to serve as a holder to keep two (2) hose ends in place.</p>	
Comments	
<p>12. One Service, Parts and Operators Manual shall be supplied.</p>	
Comments	



COMMONWEALTH OF PENNSYLVANIA
PENNSYLVANIA COMMERCIAL ITEM DESCRIPTION (PCID)

GENERAL REQUIREMENTS FOR BIDDING PennDOT VEHICLES/EQUIPMENT

(This item description supersedes PCID No. 1075 eff. 3/9/11)

PCID NO. 1075
 Eff. 12/7/11

These General Requirements shall apply to all on-road and off-road vehicles, highway equipment, agricultural equipment and construction equipment, procured for use by the Department of Transportation, Commonwealth of Pennsylvania (PennDOT). These requirements are in addition to any supplemental specifications identified in the invitation for bids. The following shall be considered MINIMUM requirements.

A. STANDARDS, CODES, RULES, REGULATIONS:

1. Each vehicle or unit of equipment shall conform to any and all requirements contained in the Pennsylvania Motor Vehicle Code.
2. Each vehicle or unit of equipment shall comply with all current applicable Federal Motor Vehicle Safety Standards, Federal and Pennsylvania Exhaust Emission and Noise Standards, and EPA and OSHA requirements. The appropriate decals indicating compliance shall be affixed to the vehicle/equipment.
3. Each vehicle or unit of equipment shall be manufactured in accordance with any codes, standards and engineering practices as recommended by the following professional organizations for the specific vehicle/equipment:

American Institute of Steel Construction (AISC)
 American National Standards Institute (ANSI)
 American Society of Mechanical Engineers (ASME)
 American Society for Testing and Materials (ASTM)
 American Trucking Association (ATA)
 American Welding Society (AWS)
 American Wood-Preservers Association (AWPA)
 Battery Council International (BCI)
 British Standards Institute (BSI): Limits and Fits
 Compressed Air and Gas Institute (CAGI)
 Industrial Fastener Institute (IFI)
 International Standards Organization (ISO)
 Joint Industrial Council (JIC)
 National Fire Protection Association (NFPA)
 National Truck and Equipment Association (NTEA)
 Power Crane and Shovel Association (PSCA)
 Society of Automotive Engineers (SAE)
 Society of Manufacturing Engineers (SME)
 Steel Structure Painting Council (SSPC)
 Tire and Rim Association (TRA)

B. COMPONENTS, PARTS AND ACCESSORIES:

1. When "No Substitute" components, parts or accessories are designated, only this type of component, part or accessory is acceptable.
2. All equipment and parts furnished shall be of the manufacturer's most current design, shall be included in its most current published list of models in stock and shall satisfy, these specifications.
3. The same model components shall be utilized on all units supplied by the successful bidder under the specifications.
4. All electronic systems associated with the vehicle/equipment shall be properly insulated so as not to not cause any interference with the operation of the vehicle or the land mobile radio communications system, when properly installed in the vehicle.
5. Power systems must be compatible with the engine, transmission, axles, hydraulic system and power steering, etc., in order to meet the requirements specified herein.
6. Vehicles shall meet the maximum gradeability of the manufacturer when loaded to maximum Gross Vehicle Weight Rating ("GVWR") without exceeding the engine manufacturer's recommended maximum revolutions per minute ("RPM") based on maximum net torque.
7. The ratio of the rear axle and transmission shall be geared to maintain a road speed of approximately 65 mph on a level road, when operating at maximum GVWR without exceeding the recommended engine rpm figure. This is not applicable to construction type equipment.

C SITE VISITS:

Prior to submission of its bid, a bidder may contact PennDOT and schedule a site visit to inspect vehicles/equipment (as available) in PennDOT's current inventory in order to further clarify any drawings, pictures and specifications. Units may be available in the field for bidders to inspect at one or more of PennDOT's Maintenance Districts, but the Commonwealth makes no guarantee that any particular vehicle/equipment shall be located at a site convenient to the bidder's place of business. The site visit must be scheduled with the Equipment Division by calling (717) 783-2371. It is the bidder's responsibility to complete the site visit in time to submit a bid. All travel will be at the bidder's expense.

D. ON BOARD VEHICLE/EQUIPMENT REQUIREMENTS:

1. Each vehicle and unit of equipment shall include the proper forms to apply for a Pennsylvania title and license. These forms will include: the original manufacturer's statement of origin signed by the successful bidder and notarized. A detailed invoice listing all equipment, PO number, VIN numbers and price. All title papers shall be properly prepared and executed. The application for title, Form MV-1 shall indicate the name and address exactly as follows: Pa. Dept. of Transportation, Equipment Division, 17th Street and Arsenal Blvd., Harrisburg, PA 17120 (ATTN: Specifications Unit).
2. Trucks and trailers shall be certified to meet or exceed requirements to obtain a Pennsylvania license. For medium and heavy-duty trucks and vans, the GVWR shall be identified in the vehicle's cab as the final complete certification label (minimum rating). The Gross Combined Weight Rating (GCWR) shall be identified by decal in the cab to indicate the approved weight, which can be towed, if applicable.
3. Vehicles designated for on-road/off-road use shall meet the following requirements:
 - a. Shall have a valid Pennsylvania state inspection sticker, if applicable.
 - b. Shall have completed the manufacturers' recommended pre-delivery service.
 - c. Shall have the vehicle manufacturer's model name and model number stated on a decal affixed to the inside of the driver's side door, if applicable.

- d. Shall be clean, lubricated, serviced, fuel tank filled to full recommended capacity, all adjustments completed, all mechanical and electrical motors and components fully functional and operational, and the vehicle will be “work ready” for immediate use.
- e. Shall have appropriately placed decals indicating the types of required fuels or lubricants and the capacity of each fluid’s reservoir that is required by the vehicle.
- f. Shall have permanent antifreeze in each vehicle to protect it at a level of -35°F. Only a low silicate type anti-freeze will be used for vehicles having diesel engines.
- g. Shall be free from all dealer signs/emblems.
- h. Hydraulic systems shall be compatible with Universal Tractor Fluid (UTF).
- i. Shall include a copy of the manufacturer's warranty and service policy with all warranty vouchers, certificates and coupons as in accordance with section E (GENERAL WARRANTY REQUIREMENTS) as listed below.
- j. Shall have each vehicle and major component identified with a metal identification tag that provides the OEM's name, model number and individual serial number. Tags will be affixed in an accessible and readable position on the item.

The above items are pre-delivery service items, and bidders should not misconstrue these requirements with warranty problems that arise after the Commonwealth accepts the completed unit which complies with the written specifications.

All charges for any of the aforementioned administrative and technical services and equipment are considered minimum acceptable requirements for delivery and shall be included in the bid price.

E. GENERAL WARRANTY REQUIREMENTS

The following warranty requirements are considered minimum unless otherwise stated in the invitation for bids. If the manufacturer's standard warranty exceeds the specified warranty, the manufacturer's standard warranty will apply. Manufacturer's warranty shall be provided in written or electronic form. All warranties will cover all labor and parts replacement, **without deductibles** during the warranty period, except as may be otherwise stated below or in the invitation for bids. This warranty, however, does not include items that must be replaced through ordinary wear and tear, but those parts ordinarily replaced through the servicing program will be replaced as part of the servicing program of equipment/vehicles, if appropriate. Parts replaced under this warranty will be of original equipment manufacturer (OEM) quality or higher. Service to the vehicle/equipment will be at a level to maintain or meet the manufacturer's requirements to sustain the warranty. All warranty policies shall be from the OEM and repairs shall be made at any authorized OEM warranty repair facility. Multiple repair facilities shall be located regionally around the State to support warrantable repairs.

- 1. A. CONSTRUCTION EQUIPMENT: The construction and agricultural equipment manufacturer's service and warranty program for full machine (“bumper to bumper”) shall be for a minimum of two (2) years or two thousand (2,000) hours whichever first occurs.
- 1. B. CONSTRUCTION EQUIPMENT: The construction and agricultural equipment manufacturer's service and warranty program for full machine (“bumper to bumper”) shall be for a minimum of one (1) year.
- 2. A. LIGHT DUTY TRUCKS & VANS (up to 19,500# GVWR):

The chassis and cab manufacturer's service and warranty program shall be for three (3) years or 36,000 miles (whichever first occurs), including powertrain. A two (2) year, unlimited mileage warranty is acceptable in lieu of a three year, 36,000-mile warranty. The vehicle shall be certified as having a capacity of towing 5,000 pounds minimum without voiding the warranty.

2. B. MEDIUM DUTY/HEAVY DUTY CAB & CHASSIS (19,501# GVWR or higher):

The chassis manufacturer's service and warranty program shall be for one (1) year or 12,000 miles (whichever first occurs).

3. ADDITIONAL SPECIFIC WARRANTY ITEMS (Applies to light, medium and heavy duty trucks only)

a. RUST PROOFING WARRANTY

Cabs/cowls shall be warranted for five (5) full years with no mileage or hourly limitations. This will include rusting through or perforation from within. This warranty and service program covers both labor and parts for the full warranty period. Surface rust caused by chip, scratches, or damage caused by PennDOT employees is not covered by this warranty.

b. FRAME RAILS AND CROSSMEMBERS (Chassis)

For medium/heavy duty trucks, frame rails and cross members are warranted for five (5) full years with no mileage or hourly limitations. This warranty covers both parts and labor for the full warranty period. For light duty trucks and vans, the manufacturer's standard frame rail and crossmember warranty is acceptable.

c. FLAT BED WARRANTY

A vehicle's flat bed shall be warranted for three (3) years. This warranty covers both parts and labor for the full warranty period. A decal will be placed on the inside driver's door stating the warranty's terms and the name, address and telephone number of the contact person to initiate warranty claim services.

d. SERVICE/UTILITY BODY AND ASSOCIATED COMPONENTS WARRANTY

Fiberglass bodies shall be warranted for five (5) years to include color fading. Steel service and utility bodies shall be warranted for five (5) years against defects and corrosion, including rust through or perforation from within. Surface rust caused by chip, scratches, or damage caused by PennDOT employees is not covered by this warranty. Associated components such as cranes, air compressors, and snowplows shall be covered by manufacturer's standard warranty. Manufacturer's standard warranty shall be provided in written or electronic form.

e. ENGINE AND TRANSMISSION WARRANTY

The engines for all Heavy/Medium Duty equipment/vehicles will be warranted for parts and labor for five (5) years or 150,000 miles (whichever first occurs). The engine warranty will include all items named or included within the valve covers, cylinder heads, block and oil pan. The transmission (automatic/manual) will be fully covered by the warranty and service program for five (5) years and will not be limited by mileage or hours. For light duty trucks and vans, the manufacturer's standard frame engine and transmission warranty is acceptable. Electronic fuel delivery components, electronic control modules and emission control components shall be covered for five (5) years or 100,000 miles whichever first occurs. After treatment Device/DPF shall be warranted for minimum 5 years or 100,000 miles. In addition to the engine warranty, the engine block shall be warranted against external perforation from corrosion for 10 years, 100% parts and labor.

f. WARRANTY CARD PROCEDURES

The successful bidder shall complete the warranty card except for the warranty start date. The PennDOT Equipment Division shall inform the successful bidder of the following: model number of vehicle; serial number of vehicle, equipment number, and location assigned; date released to

the counties. The warranty start-up date shall be the date of acceptance by the Department, not the date of delivery to the Department.

F. PILOT MODEL:

PennDOT reserves the right to require the successful bidder to make mutually agreeable arrangements to deliver a “pilot model” for initial inspection. Pilot models(s) shall be delivered to the Department of Transportation, 17th St., & Arsenal Blvd., Harrisburg, PA 17120 for inspection, testing and approval. The remaining units shall not be delivered for inspection, testing and approval until after the pilot model has been accepted by PennDOT. The remaining units shall fully meet the requirements of the specifications and must be indistinguishable from the approved pilot model. Presentation of a pilot model will not be required if the quantity is only one (1) unit. The pilot model must meet all the mechanical requirements of the specifications. PennDOT may field test the equipment to determine if it meets the performance requirements of the specifications. Performance testing results will normally be completed within two (2) weeks of date of delivery. There are administrative items that are required to be presented at the pilot model inspection. It is imperative that all of these items be presented at this time so they are ready for shipment, when the balance of the units are delivered. PennDOT may withhold payment, where deemed necessary, pending receipt of these items. PennDOT disclaims any liability for damage to equipment that has not been unconditionally accepted by the PennDOT.

G. DELIVERY:

Time is of the essence. All units must be delivered within the number of days, specified in the invitation for bids, after receipt of the purchase order by the successful bidder. It shall be assumed by the parties that the successful bidder received the purchase order on the third business day following the date of the purchase order, unless the successful bidder provides credible evidence that the order was received on a later date. Bidders must specify delivery time in their bid. Phrases such as “as required”, “as soon as possible”, or “prompt” have no meaning and may be cause for rejection of the bid. The successful bidder shall deliver **the completed unit(s) at ground level (stacked loads are unacceptable)** to the Equipment Division, 17th Street and Arsenal Blvd. Harrisburg, PA 17120. All deliveries shall be made on a working day between 7:00 AM and 2:30 PM. There is a loading dock at this location; however, any additional unloading cost shall be borne by the successful bidder. The terms of delivery are also controlled by other provisions in the invitation for bids.

The successful bidder shall submit to the PennDOT “on a continuing basis”, all service bulletins and technical letters as regularly issued by a manufacturer to dealers or large fleets. All the relevant information shall be supplied for the unit(s) forwarded to the Commonwealth to inform PennDOT of any improvements, changes and/or problems concerning the unit and its component parts. This information shall be addressed to the Pennsylvania Department of Transportation, Equipment Division, 17th St. & Arsenal Blvd., Harrisburg, PA 17120, ATTN: Specification Unit Chief, Equipment Division. PennDOT reserves the right to have its representative(s) periodically inspect each unit during assembly at the successful bidder’s assembly point.

H. PROCEDURE FOR IMPLEMENTING REPAIRS:

In the event that a breakdown occurs, the repair work is to be performed by the successful bidder of record or his duly authorized representative within the Commonwealth. A copy of the successful bidder's work orders shall be supplied to the PennDOT County Equipment Manager and District Equipment Manager. Repairs assigned to the successful bidder can be performed at the successful bidder’s place of business, at his duly authorized representative’s place of business and, whenever possible, at the county maintenance facility or field locations. If services are to be performed at PennDOT’s county maintenance facilities or in the field, the successful bidder must provide proof of insurance as stated in the contract attachments. County Equipment Managers shall notify the successful bidder or his duly authorized service representatives that the vehicle/equipment is down for component repairs and follow PennDOT standard procedure for handling warranty problems in accordance with the benefits of this warranty. At this time of notification, the location of repair is to be mutually agreed upon based on the most timely and cost effective basis to the Department. All work orders against the warranted repair shall be kept in PennDOT’s Equipment History File at the county maintenance facility.

When repairs are to be performed at the successful bidder’s place of business or his duly authorized representative’s place of business, transportation of the vehicle/equipment within the Commonwealth of Pennsylvania shall be made by PennDOT. If determined by PennDOT that repairs cannot be handled within the Commonwealth, then transportation to and from the Commonwealth of Pennsylvania shall be the responsibility of the successful bidder.

If mileage costs will be charged to the Department for the diagnosis or repair of a warrantable item, an estimate of these costs shall be given to the County Equipment Manager prior to the repair agreement.

I. LUBRICATION AND COMPONENT INFORMATION:

The successful bidder shall provide lubrication and component information (as applicable) upon request by PennDOT. This information may be provided by copying and completing the sample forms attached to this document, or may be presented on forms prepared by the successful bidder and/or manufacturer. (see attached sample forms – 4 pages).

J. SUCCESSFUL BIDDER'S RIGHTS:

The successful bidder shall have the right to make periodic inspections to ascertain that the maintenance techniques and/or repair procedures are being administered in accordance with the guidelines set forth in this document. Preventive maintenance shall be performed by PennDOT in accordance with the component manufacturer's recommended procedures, or as modified during the contract through supplements. All internal parts of the components shall be the repair responsibility of the successful bidder, except maintenance adjustments.

K. MATERIAL MASTERS: No Material Masters established for this delivery PCID.

APPROVALS:

Quality Assurance Specialist: Gerald Grecek, CPPB

Quality Assurance Manager: Janice Pistor

Sample Forms (Instruction Sheet)

The Following Documents Shall Be Completed And Emailed / Shipped To

Email: Contact the Automotive Equipment Specialist @ The Equipment Division @ 717-705-2124 (This is an Excel Spread Sheet, a Work Copy will be Emailed to You)

**Mail: Equipment Division
17th & Arsenal Blvd.
Harrisburg, Pa. 17120
Attn: Specifications Division**

Note: These Forms Must Be Delivered to The Equipment Division With The Pilot Model!

**Instructions To Vendor For Completing The Attached Form
(We Would Prefer Having This Completed Electronically)**

Electronic:

- 1. Obtain Work Copy By Calling 717-705-2124**
- 2. All Sections Are to be Filled Out**
- 3. Insert N/A in All Sections That Do Not Apply, Do Not Leave any Sections Blank**
- 4. Manufacturer, Model No. And Part No. Should Reflect The Actual Component Manufacturer**
- 5. Warranty Section Should Reflect The Coverage, The Vendor And/Or Equipment (Truck) Manufacturer Will Supply, Not The Component Manufacturer.**

Paper:

- 1. Same As Above, but Type or Print All Information**


LUBE AND COMPONENT SHEET

Equipment # Series		Effective Date						
PO Number		Unit Warranty Period						
Year		Engine Manufacturer						
Make		Engine Model						
Model								
VIN Number								
Vendor		Trans. Manufacturer						
Contact Person		Trans. Model						
Contact Phone Num.		Body Manufacturer						
		Body Number						
Oils & Lubes		Filters	Qty. of Filters	Part Number	Com. Code 2810-	Make	Change Interval	Filters Stocked
Engine Oil		Engine Oil Filter						
		Engine Oil Filter Secondary						
Transmission Oil		Transmission Filter						
		Aux. Trans. Filter						
Fuel		Fuel Filter Primary						
		Fuel Filter Secondary						
Rear Axle / Axles								
Steering Oil		Steering Filter						

Hydraulic Oil		Hydraulic Filter Suction						
		Hydraulic Filter Return						
Coolant		Coolant Filter						
Transfer Case								
Front Axle		Air Filter Primary						
Brake Fluid		Air Filter Secondary						
		Air Compressor Filter						
Description	Manufacturer	Model Number	Part Number				Warranty	
Air Compressor								
Air Dryer								
Alternator								
Auto Slack Adjuster								
Auto Lube System								
Axle Front								
Axle Rear								
Battery								
Belt Air Compressor								
Belt Alternator								
Belt Fan								
Belt Power Steering								
Brake Chamber (FRT)								
Brake								

Chamber (REAR)				
Brake Lining (FRT)				
Brake Lining (REAR)				
Clutch Assembly				
Differential				
Dump Body				
Electronic Joysticks				
Engine (AUX)				
Engine (MAIN)				
Fan				
GL 400				
GL 400 Wiring				
Grote Wiring Harness				
Hoist Cylinder				
Hydraulic Pump - Main				
Pump, Fuel				
Pump, Hydraulic Aux.				
Pump, Steering				
Pump, Water				
Radiator				
Rexroth Valve				
Starter				
Steering Gear				
Suspension System				

Tank Fuel Capacity				
Tire Size Front LR				
Tire Size Rear LR				
Transaxle				
Transfer Case				
Transmission				
Wing Plow				



DISCONNECT
COUPLING
FLOCS
ENGINE KIT

"TYPICAL"

PA DEPARTMENT OF TRANSPORTATION

REVISIONS		FAST LUBE OIL CHANGE SYSTEM OVERVIEW AND PARTS LIST	
NO.	DATE	BY	DATE
1	07-01-03	BLD	08-22-97
2	10-20-06	CJW	
3			

DRAWN BY DLW SCALE N/A EQN-351A
 DATE 08-22-97 CHECKED BY WHM SHEET 1 OF 2

1. CONTACT AEROQUIP WITH YOUR DRAIN PAN PLUG SIZE
2. AEROQUIP DEALER TELEPHONE NUMBERS:

- ADVANCED FLUID CONNECTORS..... 717-757-1068
- AIR BRAKE & POWER EQUIPMENT CO.. 717-622-6188
- AMERICAN BEARING & POWER..... 717-569-3291
- GOODALL RUBBER COMPANY..... 610-534-2100
- POWER DRIVES INC..... 814-833-8181
- R L MILLER INC..... 412-833-6800
- R L MILLER INC..... 814-456-8900
- SRG/BEVCO..... 610-358-3100
- VOTO MANUFACTURERS SALES CO.... 814-226-7101

FLOCS SHALL INCLUDE, BUT NOT LIMITED TO:

- A. DUST CAP 5657-12
- B. HOSE TO SUIT LENGTH
- C. HOSE FITTING TO SUIT
- D. ADAPTER TO SUIT
- E. HOSE CLAMP #900729-6
- F. BRACKET TO SUIT
- G. COUPLING 5602-12-12S

PA DEPARTMENT OF TRANSPORTATION			
REVISIONS		FAST LUBE OIL CHANGE SYSTEM OVERVIEW AND PARTS LIST	
NO	DATE	BY	DRAWN BY
1	07-01-03	BLD	DLW
2	10-20-06	CJW	SCALE N/A
3			DATE 08-22-97
			CHKD BY WHM
			EQU-351A SHEET 2 OF 2